



Nursery propagated prairie, woodland and wetland natives are our focus. We offer plants that are native to our area and our climate, soil and moisture conditions. We also offer some non native plants that are well adapted to our conditions. All plants have been tested in our gardens for three growing seasons or more. Unless noted as (NEW) or (2nd Year)

We also offer Landscape Design and Consultation services

Note: Plant availability may change due to unexpected events.

<u>Scientific Name</u>	<u>Common Name</u>	<u>Order Code</u>
Actaea racemosa	Black Snakeroot, Black Cohosh	ACR
Leaves:	Dark green, basal ternate, lobed or sharply toothed, 16".	
Flower:	Racemes 2' long on branched stems.	
Habit:	Clump forming perennial 4'-7' T X 2' W.	
Bloom Season:	Midsummer.	
Culture:	Humus rich, moist well drained soil in part shade.	
Utilization:	Woodland or moist border.	
Hardiness:	Zones 3-8.	



<u>Scientific Name</u>	<u>Common Name</u>	<u>New</u>	<u>Order Code</u>
Acorus calamus	Sweet Flag		ACC
Leaves:	Iris like		
Flower:	Green		
Habit:	Clump forming perennial 2' T X 2' W.		
Bloom Season:	May-July		
Culture:	Wet to wet mesic, full sun		
Utilization:	Woodland or moist border.		
Hardiness:	Zones 3-8.		



<u>Scientific Name</u>	<u>Common Name</u>	<u>New</u>	<u>Order Code</u>
Allium cernuum	Nodding Pink Onion		ALC
Leaves:	Mid green onion like.		
Flower:	Pink		
Habit:	1'-2'		
Bloom Season:	July to August		
Culture:	Full sun moderately rich soil, rocky to damp clay		
Utilization:	Wildflower meadow, mixed border.		
Hardiness:	Zone 4		



<u>Scientific Name</u>	<u>Common Name</u>	<u>Order Code</u>
Amsonia tabernaemontana	Blue Star Willow	AMT
Leaves:	Mid green willow like.	
Flower:	Sky blue panicles 2-3".	
Habit:	Clump forming willow like herbaceous perennial 3' T X 1.5' W.	
Bloom Season:	Late spring thru early summer.	
Culture:	Full sun to light shade in moist, but well drained soil.	
Utilization:	Woodland edge, wildflower meadow, mixed border.	
Hardiness:	Zones 5-9.	



<u>Scientific Name</u>	<u>Common Name</u>	<u>2nd year</u>	<u>Order Code</u>
Anemone canadensis	Canadian Anemone		ANC
Leaves:	Similar to geraniums		
Flower:	Showy white, May-June		
Habit:	2' T x spreading		
Bloom Season:	May-June		
Culture:	Full sun to part shade, medium to wet soil		
Utilization:	Woodland edge, wildflower meadow, mixed border.		
Hardiness:	Zones 3-9		



<u>Scientific Name</u>	<u>Common Name</u>	<u>Order Code</u>
Asclepias incarnata	Swamp Milkweed	ASI
Leaves:	Lanceolate	
Flower:	Umbel	
Habit:	2-6' T	
Bloom Season:	May to Sept	
Culture:	Full sun to part shade, wet to moist soil	



<u>Scientific Name</u>	<u>Common Name</u>	<u>Order Code</u>
Asclepias incarnata 'Ice Ballet'	White Swamp Milkweed	AIB
Leaves:	Lanceolate	
Flower:	Umbel	
Habit:	3-4' T	
Bloom Season:	Late spring to early summer	
Culture:	Full sun to part shade, wet to moist soil	



Scientific Name Boltonia asteroides **Common Name** False Aster **New** **Order Code** BA
Leaves: Lance shaped
Flower: 3/4" White daisy like
Habit: 3'-5' T by mound
Bloom Season: Late summer for 1 month
Culture: Partial to full, sun wet to moist
Hardiness: Zone 4-8



Scientific Name Chelone glabra **Common Name** Turtlehead **Order Code** CG
Flower: White w/ pink blush, Resembling a turtlehead
Habit: 2'-4' T x 1'-2'
Culture: Moist to wet, full sun to part shade
Bloom Season: Late summer to fall
Hardiness: Zones 5-8
 Deer resistant



Scientific Name Dicentra eximia **Common Name** Bleeding heart, Lyre flower **Order Code** DIE
Leaves: Pale green 2-ternate leaves, 6"-16" long with ovate, cut leaflets.
Flower: Pendant 3/4"-1 1/4" racemes of flowers borne on arching stems.
Habit: Clump forming perennial, thick, fleshy roots 1' T X 1.5' W.
Bloom Season: Late spring to early summer.
Culture: Moist humus rich, neutral to acid soil in partial shade.
Utilization: Woodland, shady border.
Hardiness: Zones 3-9.
Add'l. Notes: May go dormant midsummer, but will return with cooler weather and rain



Scientific Name Eupatorium maculatum **Common Name** Spotted Joe Pye weed **2nd year** **Order Code** EUM
Leaves: Coarse Whorled leaves
Flower: 4"-6" corymb like panicles.
Habit: Clump forming perennial 4-6' T X 3' W..
Bloom Season: July-Sept
Utilization: Full sun to part shade, rich moist soil
Hardiness: Zones 3-9



Scientific Name Eupatorium perfoliatum **Common Name** Boneset **2nd year** **Order Code** EUB
Leaves: Opposite decussate coarse to 8" long
Flower: Small white
Habit: Clump forming perennial 2' -5' T
Bloom Season: July-Oct.
Utilization: Full sun to part shade, wet to moist soil
Hardiness: Zones 3-9



Scientific Name Eupatorium purpureum **Common Name** Joe Pye weed **Order Code** EUP
Leaves: Ovate to elliptic-lance shaped finely toothed, sharp pointed, coarse to 10" long.
Flower: 4"-6" corymb like panicles.
Habit: Clump forming perennial 7' T X 3' W..
Bloom Season: Midsummer to early fall.
Utilization: Woodland, mixed borders, wildflower garden.
Hardiness: Zones 3-9



Scientific Name Filipendula rubra **Common Name** Queen of the Prairie **2nd year** **Order Code** FIR
Leaves: Alternate compound up to 2' long
Flower: Inflorescence on a stalk
Habit: Clump forming perennial 3'-7' T X 3' W..
Bloom Season: Midsummer to early fall.
Culture: Full to part sun, wet to moist, doesn't like dry conditions
Utilization: Woodland edge, mixed borders, wildflower garden, rain garden.
Hardiness: Zones 3-9



Scientific Name Helenium autumnale **Common Name** Sneezeweed **Order Code** HEA
Flower: 2"
Habit: Can go to 6'
Bloom Season: Aug to Oct
Culture: Sun to shade moist soil
Utilization: Naturalizing, streamside plantings, ditches
Hardiness: Zone 4



Scientific Name Iris virginica shrevei **Common Name** Blue Flag **Order Code** IVS
Habit: 2'-3' T x clump
Bloom Season: June-July
Culture: Requires high moisture, sun to light shade
Utilization: Pond edges, bogs
Hardiness: Zones 2
Add'l. Notes: Do not allow to dry out



Scientific Name Iris versicolor
Common Name Northern Blue Flag
2nd year **Order Code** IRV
Habit: 2'-3' T x clump
Bloom Season: June-July
Culture: Requires high moisture, sun to light shade
Utilization: Pond edges, bogs
Hardiness: Zones 3
Add'l. Notes: Do not allow to dry out



Scientific Name Juncus effusus
Common Name Common Rush
New **Order Code** JUE
Habit: 3' T x 1'-2' clump
Bloom Season:
Culture: Requires high moisture, sun to light shade
Utilization: Pond edges, bogs
Hardiness: Zones 3
Add'l. Notes: Can tolerate average soil moisture



Scientific Name Liatris ligulistylis
Common Name Meadow Blazingstar
2nd year **Order Code** LIL
Habit: 3'-5' T
Bloom Season: August to September
Culture: Medium to moist soil in full sun
Utilization: Rain gardens, back of the border
Hardiness: Zone 4
Add'l. Notes: Great for finches and butterflies



Scientific Name Liatris pycnostachya
Common Name Kansas Gayfeather
Order Code LIP
Leaves: 4-12" long basal leaves that are linear and clustered.
Flower: 18" long dense spikes.
Habit: Perennial 5' T X 1.5' W.
Bloom Season: Midsummer to early fall.
Culture: Light moderately fertile, moist well drained soil in full sun.
Utilization: Prairie plantings, woodland borders, mixed and herbaceous borders.
Hardiness: Zones 4-9
Add'l. Notes: Makes a great cutting flower and is attractive to bees and butterflies.




Scientific Name Liatris spicata
Common Name Marsh Blazing Star
New **Order Code** LIS
Habit: 3'-6' T
Bloom Season: August to September
Culture: Medium to moist soil in full sun
Utilization: Rain gardens, back of the border
Hardiness: Zone 4
Add'l. Notes: Great for finches and butterflies



Scientific Name Lobelia cardinalis
Common Name Cardinal flower
Order Code LOC
Leaves: Softly hairy, obovate, oblong or lance shaped and irregularly toothed, light green 4-6"
Flower: 1-1 1/2", tubular, 2-lipped red borne on racemes.
Habit: Clump forming perennial 1'-3' X 1' W.
Bloom Season: Late summer to mid fall.
Culture: Moderately fertile, deep, reliably moist well drained, soil in full sun or part shade.
Utilization: Herbaceous or mixed border, near water.
Hardiness: Zones 5-9.
Add'l. Notes: Allow to self seed on open soil, short lived.



Scientific Name Lobelia siphilitica
Common Name Blue cardinal flower
Order Code LOS
Flower: 1-1 1/2", tubular, 2-lipped bright blue borne on racemes.
Habit: Clump forming perennial 2'-4' X 1' W.
Bloom Season: Late summer to mid fall.
Culture: Moderately fertile, deep, reliably moist well drained, soil in full sun or part shade.
Utilization: Herbaceous or mixed border, near water.
Hardiness: Zones 5-9.
Add'l. Notes: Will self seed if there is open soil.



Scientific Name Lythrum alatum
Common Name Winged Loosestrife
New **Order Code** LYA
Flower: Narrow spikes 1.5' long with 1/2" 6 lobed
Habit: 3' T.
Bloom Season: Mid to Late summer, about 2 months
Culture: Moderately fertile, deep, reliably moist soggy soil in full sun or part shade.
Utilization: Ditch or stream edge
Hardiness: Zones 5-9.
Add'l. Notes: Tends to flop toward the end of the season without support



Scientific Name Mimulus ringens
Common Name Monkeyflower
Order Code MIR
Leaves: lanceolate
Flower: Snapdragon like
Habit: Less than 3' T
Bloom Season: Late summer
Culture: Wet to moist soil
Hardiness: Zone 3
Add'l. Notes: Hummingbirds are attracted to this plant



Scientific Name **Common Name** **Order Code**
 Monarda fistulosa Wild bee balm MOF
Leaves: Hairy, dull, soft green ovate to lance shaped 11/2"-4"
Flower: 3/4"-1 1/4" flowers with tinged bracts.
Habit: Rhizomatous, clump forming perennial 4' T X 1.5' W.
Bloom Season: Mid to late summer.
Culture: Moderately fertile, moist, humus rich but well drained, soil in full sun.
Utilization: Mixed, herbaceous borders.
Pests & Diseases: Powdery mildew, rust and leaf spot.
Hardiness: Zones 3-9.
Add'l. Notes: Plant where there is morning sun and or good air circulation, bees and hummingbirds are attracted to the bee balms.



Scientific Name **Common Name** **Order Code**
 Phlox glaberrima Marsh Phlox PHG
Habit: 2' T
Culture: Sun to heavy shade, moist soil
Bloom Season: June-Sept
Hardiness: Zone



Scientific Name **Common Name** **2nd year** **Order Code**
 Pycnanthemum virginianum Common Mountain Mint PYV
Flower: Numerous white flowerheads
Habit: 3' T
Bloom Season: July to September
Culture: Moist to wet soils
Utilization: Rain gardens, wet areas



Scientific Name **Common Name** **Order Code**
 Ratibida pinnata Yellow coneflower RAP
Leaves: 3'-6' T
Bloom Season: Early summer to late fall.
Habit: Clump forming herbaceous perennial 3-6' T X 2' W.
Culture: Dry sand to clay
Utilization: Herbaceous border, prairie gardens
Hardiness: Zones: 3-8



Scientific Name **Common Name** **2nd year** **Order Code**
 Rudbeckia fulgida Orange coneflower True native RUF
Leaves: Hairy
Bloom Season: Mid summer to fall.
Habit: Clump forming herbaceous perennial 3.5' T
Culture: Moist to medium soil, full sun
Utilization: Herbaceous border, prairie gardens, moist areas
Hardiness: Zones: 4-8



Scientific Name **Common Name** **2nd year** **Order Code**
 Rudbeckia laciniata Wild Golden Glow RUL
Leaves: Deeply lobed 12" long, alternate, drooping
Bloom Season: Mid summer to fall.
Habit: Clump forming herbaceous perennial 3-8' T
Culture: Part sun, Moist to medium soil
Utilization: Moist meadows, woodland border
Hardiness: Zones: 4-8



Scientific Name **Common Name** **2nd year** **Order Code**
 Rudbeckia subtomentosa Sweet Black-eyed Susan RUS
Leaves: Hairy
Bloom Season: August to September
Habit: Clump forming herbaceous perennial 3'-5' T x 1.5'-2' W
Culture: Moist to medium soil, full sun
Utilization: Herbaceous border, prairie gardens
Hardiness: Zones: 4-8



Scientific Name **Common Name** **Order Code**
 Scutellaria laterifolia Mad Dog Skullcap SCL
Leaves: Lance shaped
Flower: Blue
Habit: 2' High x spreading
Bloom Season: July, August, Sept
Culture: Wet to moist
Utilization: Shady border and wetland
Hardiness: Zones 5-9.



Scientific Name **Common Name** **Order Code**
 Thalictrum dioica Early Meadow rue THD
Leaves: Look like maidenhair fern
Flower: Green
Habit: 2' High
Bloom Season: April, May
Culture: Wet to moist
Utilization: Shady border and wetland
Hardiness: Zones 5-9.



Scientific Name
Tiarella cordifolia
Leaves: 3-5 lobed, ovate pale green 4", cordate base.
Flower: 4-12" spike like racemes.
Habit: Rhizomatous, spreading by stolons 4-12" T X 1' W.
Bloom Season: Summer.
Culture: Cool humus rich, moist soil in deep to partial shade.
Utilization: Woodland groundcover, or shady border.
Hardiness: Zones 3-7.

Order Code
TIC



Scientific Name
Tradescantia ohiensis
Flower:
Habit: 2'-4' T x clumping
Bloom Season: June to July
Culture: Full sun to part shade, in moist to medium soil
Utilization: Woodland edge
Hardiness: Zone 3

Order Code
TRO



Scientific Name
Vernonia fasciculata
Flower: Single stalk, Aster like flowerhead, hairy stem
Habit: 4'-6' T
Bloom Season: July to September
Culture: Wet to Medium soil in full sun to light shade.
Utilization: Wetland garden, back of border
Hardiness: Zones 4-9

Order Code
VEF



Scientific Name
Vernonia missurica
Flower: Single stalk, Aster like flowerhead, hairy stem
Habit: 3'-6' T
Bloom Season: July to October
Culture: Wet to Medium soil in full sun to light shade.
Utilization: Wetland garden, back of border
Hardiness: Zones 4-9

Order Code
VEM



Scientific Name
Veronicastrum virginicum
Leaves: Lance shaped to inversely lance shaped, pointed, toothed, dark green to 6".
Flower: 1/4" tubular flowers with protruding stamens.
Habit: Hairless erect perennial 6' T X 1.5' W.
Bloom Season: Midsummer to early fall.
Culture: Moderately fertile, humus rich moist soil in full sun or part shade.
Utilization: Woodland garden or shady border.
Hardiness: Zones 3-8.

Order Code
VEV



Scientific Name
Zizia aurea
Flower: Cluster of yellow
Habit: 1'-3' T
Bloom Season: April to June
Culture: Moist soil
Utilization: Rich moist woodland, rain gardens
Hardiness: Zone 4

2nd year

Order Code
ZIA



GRASSES AND GRASSLIKE PLANTS

Scientific Name
Calamagrostis canadensis
Flower: Purplish turning to tan
Habit: 5' T, sod forming
Bloom Season: June to August
Culture: Full sun moist soil
Utilization: Rain gardens
Hardiness: Zone 4

New

Order Code
CAC



Scientific Name
Carex comosa
Leaves: 30" bright green leaves.
Flower: Bristly lime green spikes.
Habit: Gently spreading, herbaceous perennial 2'-4' T X W.
Bloom Season: Late spring to early summer.
Culture: Consistently moist to wet soil in sun or partial shade.
Utilization: Rain gardens/bioswales
Hardiness: Zones 3-8.
Add'l. Notes: Deer resistant

New

Order Code
CCO



Scientific Name Carex hystericina **Common Name** Bottlebrush Sedge **1st Year** **Order Code** CAP
Leaves: 5"-10" light green leaves.
Flower: 1/2" ovoid spikes.
Habit: Dense to loose tuft 1'-3.5' T X 1.5' W.
Bloom Season: Early to midsummer.
Culture: Wet to moist soil in sun or partial shade.
Utilization: Marshy areas, will tolerate short term flooding
Hardiness: Zones 3-8.
Add'l. Notes: Remove dead leaves in summer



Scientific Name Carex lupulina **Common Name** Hop Sedge **1st Year** **Order Code** CAL
Leaves: 5"-7" light green leaves.
Flower: 1/2" ovoid spikes.
Habit: Gently spreading, deciduous perennial 1'-4' T X 1.5' W.
Bloom Season: Early to midsummer.
Culture: Wet soil in partial shade.
Utilization: Stream edge, wet woodland edge
Hardiness: Zones 3-8.
Add'l. Notes: Remove dead leaves in summer



Scientific Name Carex muskingumensis **Common Name** 'Ice Fountain' Sedge **Order Code** CIF
Leaves: 30" bright green leaves.
Flower: 1/2"-1" golden brown spikes.
Habit: Gently spreading, deciduous perennial 28" T X 1.5' W.
Bloom Season: Early to midsummer.
Culture: Moist to wet soil in sun or partial shade.
Utilization: Nearly anywhere in the garden.
Hardiness: Zones 3-8.
Add'l. Notes: Remove dead leaves in summer



Scientific Name Carex pennsylvanica **Common Name** Oak Leaf Sedge **Order Code** CPP
Leaves: 10" bright green arching leaves.
Flower: Insignificant
Habit: Sod forming perennial 10" T X .
Bloom Season: Early to midsummer.
Culture: Moist soil partial shade, wet soil in spring, space 1'-2' apart
Utilization: Woodland groundcover in heavy shade
Hardiness: Zones 3-8.
Add'l. Notes: Can be mowed when it reaches 3-4" in height. Medium drought tolerance.




Scientific Name Carex stricta **Common Name** Tussock Sedge **Order Code** CAS
Habit: 2'-3' T clumps
Culture: Wet to consistently moist in full sun
Utilization: Rain garden, pond edge
Hardiness: Zones 5-8
Add'l. Notes: Excellent wildlife plant, providing food and cover



Scientific Name Eleocharis acicularis **Common Name** Needle Spike Rush **New** **Order Code** ELA
Habit: 4'-5' T clumps
Culture: Dry to moist soil in full sun
Utilization: Rain garden, pond edge
Hardiness: Zone 3
Add'l. Notes: Excellent wildlife plant, providing food and cover



Scientific Name Elymus canadensis **Common Name** Wild Rye **New** **Order Code** ELC
Habit: 4'-5' T clumps
Culture: Dry to moist soil in partial to full sun
Utilization: Rain garden, pond edge
Hardiness: Zone 3
Add'l. Notes: Excellent wildlife plant, providing food and cover



Scientific Name Glyceria canadensis **Common Name** Rattlesnake Grass **Order Code** GLC
Habit: 2-3' Tall
Bloom Season: Summer
Culture: Full to part sun, wet to medium soil
Utilization: Wet ditches, pond edge
Hardiness: Zones 3-7



Scientific Name Glyceria grandis **Common Name** Reed Manna Grass **Limited number** **Order Code** GLG
Flower:
Habit: 3-5' Tall
Bloom Season: June-July
Culture: Full sun, light to heavy soil
Utilization: Wet ditches, pond edge
Hardiness: Zones 4



Scientific Name Glyceria striata
Common Name Fowl Manna Grass
Limited number **Order Code** GLS
Habit: 2'-3.5' T tufts
Bloom Season: Early to midsummer
Culture: Full sun to light shade, consistently moist soil
Utilization: Wet ditches, pond edge
Hardiness: Zones 4



Scientific Name Panicum virgatum
Common Name Switch grass
Order Code PAV
Leaves: Flat linear, mid green to 2' long.
Flower: 20" long weeping panicles.
Habit: Rhizomatous, deciduous, upright 3' T X 2.5' W.
Bloom Season: Early summer.
Culture: Moderately fertile, well drained, soil in sun.
Utilization: Herbaceous, mixed or sunny border.
Hardiness: Zones 5-9.



Scientific Name Sorghastrum nutans
Common Name Indian grass
Order Code SON
Leaves: Flat, 2-24" tall
Flower: Yellow to chestnut brown
Habit: 3'-7' T x clump
Bloom Season: July to September
Culture: Full sun in moist to medium soil
Utilization: Back of border, specimen plant
Hardiness: Zone 3



Scientific Name Sparganium euracarpum
Common Name Giant Bur Reed
Order Code SPE
Leaves: Grass like drooping leaves
Habit: 4' T
Bloom Season: June-Aug
Culture: Full Sun, Wet to moist
Utilization: Wet ditches, pond edge
Hardiness: Zones 4-9



Scientific Name Spartina pectinata
Common Name Prairie Cordgrass
2nd year **Order Code** SPP
Leaves: Grass like drooping leaves
Habit: 5' T x 4' W
Bloom Season: Fall
Culture: Full Sun, Wet to moist
Utilization: Wet ditches, pond edge
Hardiness: Zones 4-9



Scientific Name Cephalanthus occidenta
Common Name Buttonbush
2nd year **Order Code** CEO
Flower: White, buttonlike
Habit: Deciduous shrub 3'-6' T possibly 10'-12'
Bloom Season: June-August
Culture: Moist, full sun to light shade
Utilization: Shrub border, water edge
Hardiness: Zone 5
Add'l. Notes: Needs periodic rejuvenative pruning



Scientific Name Clethra alnifolia
Common Name 'Hummingbird'
Order Code CAH
Flower: White spikes
Habit: 2'-3' Tall mounded spreading shrub
Bloom Season: Summer flowering
Utilization: Wet, swampy areas, windbreak, deep shade
Hardiness: Zones: 3-9
Add'l. Notes: Prefers some shade



Scientific Name Cornus alternifolia
Common Name 'Golden Shadows' Dogwood
2nd year **Order Code** CGS
Flower: White
Habit: 6'-12' Tall dense shrub x 4' W
Bloom Season: Spring flowering
Utilization: Moist soil, Partial shade
Hardiness: Zone 3

