



Nursery propagated prairie, woodland and wetland natives are our focus. We offer plants that are native to our area and our climate, soil and moisture conditions. We also offer some non native plants that are well adapted to our conditions. All plants have been tested in our gardens for three growing seasons or more. Unless noted as (NEW) or (2nd Year) We also offer Landscape Design and Consultation services
 Note: Plant availability may change due to unexpected events.

<u>Scientific Name</u>	<u>Common Name</u>	<u>Order Code</u>
Actaea racemosa	Black Snakeroot, Black Cohosh	ACR
Leaves:	Dark green, basal ternate, lobed or sharply toothed, 16".	
Flower:	Racemes 2' long on branched stems.	
Habit:	Clump forming perennial 4'-7' T X 2' W.	
Bloom Season:	Midsummer.	
Culture:	Humus rich, moist well drained soil in part shade.	
Utilization:	Woodland or moist border.	
Hardiness:	Zones 3-8.	



<u>Scientific Name</u>	<u>Common Name</u>	<u>New</u>	<u>Order Code</u>
Acorus calamus	Sweet Flag		ACC
Leaves:	Iris like		
Flower:	Green		
Habit:	Clump forming perennial 2' T X 2' W.		
Bloom Season:	May-July		
Culture:	Wet to wet mesic, full sun		
Utilization:	Woodland or moist border.		
Hardiness:	Zones 3-8.		



<u>Scientific Name</u>	<u>Common Name</u>	<u>Order Code</u>
Amsonia tabernaemontana	Blue Star Willow	AMT
Leaves:	Mid green willow like.	
Flower:	Sky blue panicles 2-3".	
Habit:	Clump forming willow like herbaceous perennial 3' T X 1.5' W.	
Bloom Season:	Late spring thru early summer.	
Culture:	Full sun to light shade in moist, but well drained soil.	
Utilization:	Woodland edge, wildflower meadow, mixed border.	
Hardiness:	Zones 5-9.	



<u>Scientific Name</u>	<u>Common Name</u>	<u>2nd year</u>	<u>Order Code</u>
Anemone canadensis	Canadian Anemone		ANC
Leaves:	Similar to geraniums		
Flower:	Showy white, May-June		
Habit:	2' T x spreading		
Bloom Season:	May-June		
Culture:	Full sun to part shade, medium to wet soil		
Utilization:	Woodland edge, wildflower meadow, mixed border.		
Hardiness:	Zones 3-9		



<u>Scientific Name</u>	<u>Common Name</u>	<u>Order Code</u>
Aquilegia canadensis	Red Columbine	AQC
Leaves:	Deeply lobed	
Flower:	Red and yellow	
Habit:	1'-2' T	
Bloom Season:	May-June	
Culture:	Medium to dry soil, part sun	
Utilization:	Rocky or dry open woodlands	
Hardiness:	Zone 3	



<u>Scientific Name</u>	<u>Common Name</u>	<u>Preorder reqd</u>	<u>Order Code</u>
Arisaema triphyllum	Jack-in-the pulpit		ART
Leaves:	3-6" long divided into 3 narrow, oblong or ovate leaflets.		
Flower:	Spathes that are hooded and green or dark purple with stripes.		
Habit:	Tuberous perennial.		
Bloom Season:	Spathes from spring to early summer followed by red berries in fall.		
Culture:	Plant in moist woodland, humus rich and slightly acid soil in a partially shaded, cool location.		
Utilization:	Woodland		
Hardiness:	Zones 4-9.		
Add'l. Notes:	Will go dormant in hot dry summers		



<u>Scientific Name</u>	<u>Common Name</u>	<u>Order Code</u>
Asclepias incarnata	Swamp Milkweed	ASI
Leaves:	Lanceolate	
Flower:	Umbel	
Habit:	2-6' T	
Bloom Season:	May to Sept	
Culture:	Full sun to part shade, wet to moist soil	



<u>Scientific Name</u>	<u>Common Name</u>	<u>Order Code</u>
Asclepias incarnata	White Swamp Milkweed	AIB

Leaves: Lanceolate
Flower: Umbel
Habit: 3-4' T
Bloom Season: Late spring to early summer
Culture: Full sun to part shade, wet to moist soil



<u>Scientific Name</u>	<u>Common Name</u>	<u>New</u>	<u>Order Code</u>
Boltonia asteroides	False Aster		BA

Leaves: Lance shaped
Flower: 3/4" White daisy like
Habit: 3'-5' T by mound
Bloom Season: Late summer for 1 month
Culture: Partial to full sun, wet to moist
Hardiness: Zone 4-8



<u>Scientific Name</u>	<u>Common Name</u>	<u>Order Code</u>
Chelone glabra	Turtlehead	CG

Flower: White w/ pink blush, Resembling a turtlehead
Habit: 2'-4' T x 1'-2'
Culture: Moist to wet, full sun to part shade
Bloom Season: Late summer to fall
Hardiness: Zones 5-8
 Deer resistant



<u>Scientific Name</u>	<u>Common Name</u>	<u>Order Code</u>
Dicentra eximia	Bleeding heart, Lyre flower	DIE

Leaves: Pale green 2-ternate leaves, 6"-16" long with ovate, cut leaflets.
Flower: Pendant 3/4"-1 1/4" racemes of flowers borne on arching stems.
Habit: Clump forming perennial, thick, fleshy roots 1' T X 1.5' W.
Bloom Season: Late spring to early summer.
Culture: Moist humus rich, neutral to acid soil in partial shade.
Utilization: Woodland, shady border.
Hardiness: Zones 3-9.
Add'l. Notes: May go dormant midsummer, but will return with cooler weather and rain



<u>Scientific Name</u>	<u>Common Name</u>	<u>2nd year</u>	<u>Order Code</u>
Eupatorium maculatum	Spotted Joe Pye weed		EUM

Leaves: Coarse Whorled leaves
Flower: 4"-6" corymb like panicles.
Habit: Clump forming perennial 4-6' T X 3' W..
Bloom Season: July-Sept
Utilization: Full sun to part shade, rich moist soil
Hardiness: Zones 3-9



<u>Scientific Name</u>	<u>Common Name</u>	<u>2nd year</u>	<u>Order Code</u>
Eupatorium perfoliatum	Boneset		EUB

Leaves: Opposite decussate coarse to 8" long
Flower: Small white
Habit: Clump forming perennial 2' -5' T
Bloom Season: July-Oct.
Utilization: Full sun to part shade, wet to moist soil
Hardiness: Zones 3-9



<u>Scientific Name</u>	<u>Common Name</u>	<u>Order Code</u>
Eupatorium purpureum	Joe Pye weed	EUP

Leaves: Ovate to elliptic-lance shaped finely toothed, sharp pointed, coarse to 10" long.
Flower: 4"-6" corymb like panicles.
Habit: Clump forming perennial 7' T X 3' W..
Bloom Season: Midsummer to early fall.
Utilization: Woodland, mixed borders, wildflower garden.
Hardiness: Zones 3-9



<u>Scientific Name</u>	<u>Common Name</u>	<u>2nd year</u>	<u>Order Code</u>
Filipendula rubra	Queen of the Prairie		FIR

Leaves: Alternate compound up to 2' long
Flower: Inflorescence on a stalk
Habit: Clump forming perennial 3'-7' T X 3' W..
Bloom Season: Midsummer to early fall.
Culture: Full to part sun, wet to moist, doesn't like dry conditions
Utilization: Woodland edge, mixed borders, wildflower garden, rain garden.
Hardiness: Zones 3-9



<u>Scientific Name</u>	<u>Common Name</u>	<u>Order Code</u>
Helenium autumnale	Sneezeweed	HEA

Flower: 2"
Habit: Can go to 6'
Bloom Season: Aug to Oct
Culture: Sun to shade moist soil
Utilization: Naturalizing, streamside plantings, ditches
Hardiness: Zone 4



Scientific Name
Lobelia cardinalis

Common Name
Cardinal flower

Order Code
LOC

Leaves: Softly hairy, oblate, oblong or lance shaped and irregularly toothed, light green 4-6"
Flower: 1-1 1/2", tubular, 2-lipped red borne on racemes.
Habit: Clump forming perennial 1'-3' X 1' W.
Bloom Season: Late summer to mid fall.
Culture: Moderately fertile, deep, reliably moist well drained, soil in full sun or part shade.
Utilization: Herbaceous or mixed border, near water.
Hardiness: Zones 5-9.
Add'l. Notes: Allow to self seed on open soil, short lived.



Scientific Name
Lobelia siphilitica

Common Name
Blue cardinal flower

Order Code
LOS

Flower: 1-1 1/2", tubular, 2-lipped bright blue borne on racemes.
Habit: Clump forming perennial 2'-4' X 1' W.
Bloom Season: Late summer to mid fall.
Culture: Moderately fertile, deep, reliably moist well drained, soil in full sun or part shade.
Utilization: Herbaceous or mixed border, near water.
Hardiness: Zones 5-9.
Add'l. Notes: Will self seed if there is open soil.



Scientific Name
Lythrum alatum

Common Name
Winged Loosestrife

New **Order Code**
LYA

Flower: Narrow spikes 1.5' long with 1/2" 6 lobed
Habit: 3' T.
Bloom Season: Mid to Late summer, about 2 months
Culture: Moderately fertile, deep, reliably moist soggy soil in full sun or part shade.
Utilization: Ditch or stream edge
Hardiness: Zones 5-9.
Add'l. Notes: Tends to flop toward the end of the season without support



Scientific Name
Mertensia virginica

Common Name
Virginia Bluebells

2nd year **Order Code**
MEV

Flower: 2-8" oval
Habit: 1-2' T.
Bloom Season: Spring to early summer
Culture: Moderately fertile, deep, moist soil in full sun or part shade.
Utilization: Rich moist woods
Hardiness: Zones 5-9.
Add'l. Notes: Will go dormant after blooming



Scientific Name
Phlox glaberrima

Common Name
Marsh Phlox

Order Code
PHG

Habit: 2' T
Culture: Sun to heavy shade, moist to medium soil
Bloom Season: June-Sept
Hardiness: Zone



Scientific Name
Polemonium reptans

Common Name
Jacob's Ladder

Order Code
POR

Leaves: 2-pinnate leaves 16" long with 19-27 oblong lance shape
1/2"-1" leaflets.
Flower: 1/2-1" bell shaped flowers on terminal cymes.
Habit: Deciduous, clump forming hairless perennial 15" T X 1' W.
Bloom Season: April to June
Culture: Fertile, moist, humus rich well drained soil in shade to part sun.
Utilization: Woodland garden and borders, containers
Hardiness: Zones 4-8



Scientific Name
Rudbeckia laciniata

Common Name
Wild Golden Glow

2nd year **Order Code**
RUL

Leaves: Deeply lobed 12" long, alternate, drooping
Bloom Season: Mid summer to fall.
Habit: Clump forming herbaceous perennial 3-8' T
Culture: Part sun, Moist to medium soil
Utilization: Moist meadows, woodland border
Hardiness: Zones: 4-8



Scientific Name
Scutellaria laterifolia

Common Name
Mad Dog Skullcap

Order Code
SCL

Leaves: Lance shaped
Flower: Blue
Habit: 2' High x spreading
Bloom Season: July, August, Sept
Culture: Wet to moist
Utilization: Shady border and wetland
Hardiness: Zones 5-9.



Scientific Name
Silene virginica

Common Name
Fire Pink

Order Code
SIV

Leaves: Rosette
Flower: Crimson to pink, star shaped 3/4
Habit: Clump forming herbaceous perennial 3' T X 1'-1 1/2' W.
Bloom Season: June-Aug
Culture: Dry to medium, full to part shade, excellent hummingbird/butterfly plant
Hardiness: Zones: 4-9
Add'l. Notes: Allow to self seed as it is a short lived perennial



Scientific Name Thalictrum dasycarpum **Common Name** Purple Meadow rue **Order Code** THA
Leaves: 2-3 pinnate or ternate leaves to 14" long, entire or lobed leaflets.
Flower: 1" fluffy flowers with large sepals and clustered stamens on terminal axillary panicles.
Habit: Rhizomatous, clumping, erect perennial 6' T X 2' W.
Bloom Season: Midsummer to early fall.
Culture: Humus rich, moist soil in partial shade.
Utilization: Woodland border, shady border, low ground
Hardiness: Zones 3-9.



Scientific Name Thalictrum dioica **Common Name** Early Meadow rue **Order Code** THD
Leaves: Look like maidenhair fern
Flower: Green
Habit: 2' High
Bloom Season: April, May
Culture: Wet to moist
Utilization: Shady border and wetland
Hardiness: Zones 5-9.



Scientific Name Tiarella cordifolia **Common Name** Foam flower **Order Code** TIC
Leaves: 3-5 lobed, ovate pale green 4", cordate base.
Flower: 4-12" spike like racemes.
Habit: Rhizomatous, spreading by stolons 4-12" T X 1' W.
Bloom Season: Summer.
Culture: Cool humus rich, moist soil in deep to partial shade.
Utilization: Woodland groundcover, or shady border.
Hardiness: Zones 3-7.



Scientific Name Tradescantia ohiensis **Common Name** Ohio spiderwort **Order Code** TRO
Flower:
Habit: 2'-4' T x clumping
Bloom Season: June to July
Culture: Full sun to part shade, in moist to medium soil
Utilization: Woodland edge
Hardiness: Zone 3



Scientific Name Veronicastrum virginicum **Common Name** Culver's root **Order Code** VEV
Leaves: Lance shaped to inversely lance shaped, pointed, toothed, dark green to 6".
Flower: 1/4" tubular flowers with protruding stamens.
Habit: Hairless erect perennial 6' T X 1.5' W.
Bloom Season: Midsummer to early fall.
Culture: Moderately fertile, humus rich moist soil in full sun or part shade.
Utilization: Woodland garden or shady border.
Hardiness: Zones 3-8.



Scientific Name Zizia aurea **Common Name** Golden alexanders **2nd year** **Order Code** ZIA
Flower: Cluster of yellow
Habit: 1'-3' T
Bloom Season: April to June
Culture: Moist soil
Utilization: Rich moist woodland, rain gardens
Hardiness: Zone 4



GRASSES AND GRASSLIKE PLANTS

Scientific Name
Carex bicknellii
Leaves: 5"-10" light green leaves.
Flower: 1/2" ovoid spikes.
Habit: Gently spreading, deciduous perennial 1.5'-2.5' T X 1.5' W.
Bloom Season: Early to midsummer.
Culture: Dry to medium soil in sun or partial shade.
Utilization: Nearly anywhere in the garden, doesn't like to be crowded by taller plants
Hardiness: Zones 3-8.
Add'l. Notes: Remove dead leaves in summer



Scientific Name
Carex comosa
Leaves: 30" bright green leaves.
Flower: Bristly lime green spikes.
Habit: Gently spreading, herbaceous perennial 2'-4' T X W.
Bloom Season: Late spring to early summer.
Culture: Consistently moist to wet soil in sun or partial shade.
Utilization: Rain gardens/bioswales
Hardiness: Zones 3-8.
Add'l. Notes: Deer resistant, will form a colony



Scientific Name
Carex hystericina
Leaves: 5"-10" light green leaves.
Flower: 1/2" ovoid spikes.
Habit: Dense to loose tuft 1'-3.5' T X 1.5' W.
Bloom Season: Early to midsummer.
Culture: Wet to moist soil in sun or partial shade.
Utilization: Marshy areas, will tolerate short term flooding
Hardiness: Zones 3-8.
Add'l. Notes: Remove dead leaves in summer



Scientific Name
Carex lupulina
Leaves: 5"-7" light green leaves.
Flower: 1/2" ovoid spikes.
Habit: Gently spreading, deciduous perennial 1'-4' T X 1.5' W.
Bloom Season: Early to midsummer.
Culture: Wet soil in partial shade.
Utilization: Stream edge, wet woodland edge
Hardiness: Zones 3-8.
Add'l. Notes: Remove dead leaves in summer



Scientific Name
Carex muskingumensis
Leaves: 30" bright green leaves.
Flower: 1/2"-1" golden brown spikes.
Habit: Gently spreading, deciduous perennial 28" T X 1.5' W.
Bloom Season: Early to midsummer.
Culture: Moist to wet soil in sun or partial shade.
Utilization: Nearly anywhere in the garden.
Hardiness: Zones 3-8.
Add'l. Notes: Remove dead leaves in summer




Scientific Name
Carex pennsylvanica
Leaves: 10" bright green arching leaves.
Flower: Insignificant
Habit: Sod forming perennial 10" T X .
Bloom Season: Early to midsummer.
Culture: Moist soil partial shade, wet soil in spring, space 1'-2' apart
Utilization: Woodland groundcover in heavy shade
Hardiness: Zones 3-8.
Add'l. Notes: Can be mowed when it reaches 3-4" in height. Medium drought tolerance.



Scientific Name
Elymus canadensis
Habit: 4'-5' T clumps
Culture: Dry to moist soil in partial to full sun
Utilization: Rain garden, pond edge
Hardiness: Zone 3
Add'l. Notes: Excellent wildlife plant, providing food and cover

Common Name
Wild Rye
Order Code
ELC



Scientific Name
Glyceria canadensis
Habit: 2-3' Tall
Bloom Season: Summer
Culture: Full to part sun, wet to medium soil
Utilization: Wet ditches, pond edge
Hardiness: Zones 3-7

Common Name
Rattlesnake Grass
Order Code
GLC



Shrubs/Small Trees

Scientific Name

Hystrix patula

Leaves:

Flower:

Habit:

Bloom Season:

Culture:

Utilization:

Hardiness:

Add'l. Notes:

Strappy

Bottlebrush like and holds well into winter

3'-5' T x clump

June to August

Shade to sun, Dry to medium soil

Woodland plantings

Zone 3

Allow to self seed, short lived perennial

Order Code

HYP



Scientific Name

Calycanthus floridus

Flower:

Habit:

Bloom Season:

Culture:

Utilization:

Hardiness:

Add'l. Notes:

Deep red, upright

6'-8' T x W shrub

May or June

Sun to part shade

Woodland edge or understory

Zones

Crush the leaves to smell allspice

Limited

Order Code

CAF



Scientific Name

Cephalanthus occidenta

Flower:

Habit:

Bloom Season:

Culture:

Utilization:

Hardiness:

Add'l. Notes:

White, buttonlike

Deciduous shrub 3'-6' T possibly 10'-12'

June-August

Moist, full sun to light shade

Shrub border, water edge

Zone 5

Needs periodic rejuvenative pruning

2nd year **Order Code**

CEO



Scientific Name

Clethra alnifolia

Flower:

Habit:

Bloom Season:

Utilization:

Hardiness:

Add'l. Notes:

White spikes

2'-3' Tall mounded spreading shrub

Summer flowering

Wet, swampy areas, windbreak, deep shade

Zones: 3-9

Prefers some shade

Order Code

CAH



Scientific Name

Cornus alternifolia

Flower:

Habit:

Bloom Season:

Utilization:

Hardiness:

White

6'-12' Tall dense shrub x 4' W

Spring flowering

Moist soil, Partial shade

Zone 3

2nd year **Order Code**

CGS



Scientific Name

Hydrangea quercifolia

Flower:

Habit:

Bloom Season:

Culture:

Utilization:

Hardiness:

white

4-8' T x 4-8' W or wider, can go to 12' tall, very slow growing

July and turn pink as they age

Part sun to full shade

Moist well drained soils

Zone 5

Order Code

HYQ

